



**BLACKING TYRES**

# **BLACKING TYRES INTERNATIONAL**

F-276, 4TH FLOOR, LADO SARAI, NEW DELHI-110030 (INDIA) Whatsapp NO.+91 84484 01214,  
Email-export@blackingtyres.com, Web:- www.blackintyres.com

## **TYRE SIZE LIST**

### **AGRICULTURAL TRACTOR FRONT TYRES**

<b>SR. NO</b>	<b>TYRE SIZE</b>	<b>PLY</b>	<b>PATTERN</b>	<b>APPROX QTY IN 40FT HQ</b>
1	5.50-16	8	BT-F2, BT-GD,BT-J	1160
2	6.50/80-12	8	BTR-1	2300
3	6.00-16	8	BT-F2, BT-GD,BT-J	1100
4	6.00-19	8	BT-F2	1015
5	6.50-16	8	BT-F2	1000
6	6.50-20	8	BT-F2, BT-GD,BT-J	720
7	7.50-16	8	BT-F2, BT-J	800
8	7.50-18	8	BT-F2	650
9	7.50-20	8	BT-F2	600
10	9.00-16	8	BT-F2	550
11	10.00-16	10	BT-F2	450
12	10.00-16 TL	10	BT-F2	450
13	11.00-16	10	BT-F2	365
14	11.00-16 TL	10	BT-F2	365

**NOTE- ALL SIZES ARE AVAILABLE IN DIFFERENT PLY RATING.**

### **AGRICULTURAL TRACTOR REAR TYRES**

15	5.00-12	8	BTR-1	2300
16	6.00-12	8	BTR-1	2200
17	5.00-10	8	BTR-1	2500
18	6.00-16	8	BTR-1	800
19	7.50-16	8	BTR-1	700
20	7.50-18	8	BTR-1	600
21	8.00-18	8	BTR-1	480
22	8.3-24 /9.5-24	8	BTR-1	400
23	8.3-20	8	BTR-1	450
24	11.2-24	8	BTR-1	250
25	12.4-24	8	BTR-1	220
26	11.2-28	8	BTR-1	220
27	12.4-28	8	BTR-1	185
28	13.6-28	8	BTR-1	165
29	14.9-24	8	BTR-1 IRRIGATION	180
30	14.9-24	8	BTR-1	180
31	15.5/80-24	12	BTR-1	170
32	14.9-26	8	BTR-1	170
33	14.9-28	10	BTR-1	125
34	16.70-20	12	BTR-1	180
35	16.9-28	10	BTR-1	90
36	16.9-28	12	BTR-1	90
39	16.9-30	12	BTR-1	80

40	16.9-34	12	BTR-1	70
41	18.4-26	12	BTR-1	85
42	18.4-30	12	BTR-1	70
43	18.4-34	12	BTR-1	65
44	18.4-38	12	BTR-1	65
45	11.2-38	8	BTR-1	80
46	13.6-38	12	BTR-1	74
47	14.9-38	8	BTR-1	74
48	15.5-38	12	BTR-1	70
49	23.1-26	16	BTR-1	50

**NOTE- ALL SIZES ARE AVAILABLE IN DIFFERENT PLY RATING.**

### INDUSTRIAL TRACTOR TYRES (R-4)

SR. NO	TYRE SIZE	PLY	PATTERN	APPROX QTY IN 40FT HQ
50	16.9-24	12	BTR-4	110
51	17.5L-24	12	BTR-4	125
52	19.5L-24	12	BTR-4	115
53	16.9-28	12	BTR-4	100
54	18.4-26	14	BTR-4	100

**NOTE- ALL SIZES ARE AVAILABLE IN DIFFERENT PLY RATING.**

### AGRICULTURAL IMPLEMENT TYRES

55	7.00 - 12	12	BT-IMP	725
56	7.00 - 12 TL	12	BT-IMP	725
57	10.80 - 12	12	BT-IMP	725
58	10.80 - 12 TL	12	BT-IMP	725
59	10.00/75-15.3	6	BT-IMP	650
60	10.00 /75-15.3TL	10	BT-IMP	625
61	11L-15	10	BT-IMP	545
62	11L-15 TL	10	BT-IMP	545
63	11L-16	12	BT-IMP	525
64	11L-16 TL	12	BT-IMP	525
65	11.5 /80-15.3 TL	12	BT-IMP	525
66	12.5/ 80-15.3	12	BT-IMP	425
67	12.5/ 80-15.3 TL	12	BT-IMP	425
68	12.5/ 80-18	14	BT-IMP	450
69	12.5/ 80-18 -TL	14	BT-IMP	450
70	13.0/ 65-18	14	BT-I1, BT-IMP	375
71	13.0/ 65-18 TL	14	BT-I1, BT-IMP	375
72	400/60-15.5	12	BT-IMP	550
73	400/60-15.5 TL	12	BT-IMP	550
74	10.00 /75-15.3	12	BTR-1	595
75	10.00 /75-15.3TL	12	BTR-1	595
76	11.5 /80-15.3	12	BTR-1	450
77	11.5 /80-15.3 TL	12	BTR-1	450

**NOTE- ALL SIZES ARE AVAILABLE IN DIFFERENT PLY RATING.**

**IMPLIMENT TYRE (I-1)**

<b>SR. NO</b>	<b>TYRE SIZE</b>	<b>PLY</b>	<b>PATTERN</b>	<b>APPROX QTY IN 40FT HQ</b>
78	9.5L-14S	8	BT-I1	805
79	9.5L-14 TL	8	BT-I1	805
80	9.5L-15	8	BT-I1	805
81	9.5L-15 TL	8	BT-I1	760
82	10.00-15	10	BT-I1	475
83	10.5/65-16	12	BT-I1	625
84	10.5/65-16 TL	12	BT-I1	625
85	11L - 14	10	BT-I1	610
86	11L - 14 TL	10	BT-I1	610
87	11L-15	10	BT-I1	545
88	11L-15 TL	10	BT-I1	545
89	11L-15	12	BT-I1	545
90	11L-15 TL	12	BT-I1	545
91	11L -16	12	BT-I1	525
92	11L -16 TL	12	BT-I1	525
93	12.5L-15	12	BT-I1	415
94	12.5L-15 TL	12	BT-I1	385
95	12.5L-16	12	BT-I1	395
96	12.5L-16 TL	12	BT-I1	395
97	16.5-16.1	12	BT-I1	150
98	16.5-16.1 TL	12	BT-I1	150

**NOTE- ALL SIZES ARE AVAILABLE IN DIFFERENT PLY RATING.****SKID STEER TYRES**

99	10-16.5 TL	12	BT-SS	540
100	12-16.5 TL	12	BT-SS	400
101	14-17.5 TL	12	BT-SS	250
102	15-19.5	14	BT-SS	160

**NOTE- ALL SIZES ARE AVAILABLE IN DIFFERENT PLY RATING.****INDUSTRIAL TYRES/FORKLIFT TYRES**

103	5.00-8	10	BT-FKT	3315
104	6.00-9	12	BT-FKT	1880
105	6.50-10	12	BT-FKT	1440
106	7.00-12	12	BT-FKT	1135
107	7.00-15	14	BT-FKT	820
108	7.50-10	12	BT-FKT	1135
109	7.50-15	12	BT-FKT	750
110	8.25-15	12	BT-FKT	600
111	2.50-15	18	BT-FKT	435
112	3.00-15	18	BT-FKT	355
113	28X9-15/8.15-15	16	BT-FKT	750

**NOTE- ALL SIZES ARE AVAILABLE IN DIFFERENT PLY RATING.**

**MPT TYRES**

SR. NO	TYRE SIZE	PLY	PATTERN	APPROX QTY IN 40FT HQ
114	10.5/ 80-18	12	BT-MPT	415
115	10.5/ 80-18 TL	12	BT-MPT	415
116	12.5/ 80-18 TL	12	BT-MPT	280

**NOTE- ALL SIZES ARE AVAILABLE IN DIFFERENT PLY RATING.**

**GRADER TYRES (G-2)**

117	13.00-24	12	BTG-2	160
118	14.00-24	12	BTG-2	144

**NOTE- ALL SIZES ARE AVAILABLE IN DIFFERENT PLY RATING.**

**OFF THE ROAD (OTR) TYRES- E3/LE/L2**

119	15.5-25	16	BTL-2	110
120	17.5-25	16	BTL-2	92
121	20.5-25	16	BTL-2	65
122	23.5-25	16	BTL-2	48
123	23.5-25	20	BTL-2	48
124	14.00-24 TL	16	BT-E3/L3	100
125	14.00-25 TL	24	BT-E3/L3	100
126	15.5-25 TL	20	BT-E3/L3	
127	17.5-25 TL	20	BT-E3/L3	90
128	20.5-25 TL	20	BT-E3/L3	80
129	23.5-25 TL	20	BT-E3/L3	72
130	1600-25 TL	32	BT-E3/L3	
131	1800-25 TL	32	BT-E3/L3	

**NOTE- ALL SIZES ARE AVAILABLE IN DIFFERENT PLY RATING.**

**LIGHT COMMERCIAL VEHICLE (L.C.V) TYRES**

132	600-16	10	BT-RIB BT-SL BT-SR BT-MILITARY	1250
133	650-14	12	BT-RIB BT-SL	1250
134	F-78-15	8	BT-RIB	900
135	700-15	12	BT-RIB BT-SL BT-LUG	950
136	700-16	12	BT-RIB BT-LUG	900
137	750-15	12	BT-LUG	800
138	750-16	16	BT-SR BT-LUG	750
139	825-16	16	BT-RIB BT-LUG BT-LUG A	590

**NOTE- ALL SIZES ARE AVAILABLE IN DIFFERENT PLY RATING.**

**BUS & TRUCK TYRES**

SR. NO	TYRE SIZE	PLY	PATTERN	APPROX QTY IN 40FT HQ
140	8.25-20	16	BT-SR	500
141	9.00-20	16	BT-RIB	320
142	9.00-20	18	BT-LUG BT-LUG A	300
143	10.00-20	16	BT-RIB	250

NOTE- ALL SIZES ARE AVAILABLE IN DIFFERENT PLY RATING.

**THREE WHEELER & PASSANGER CAR TYRES**

144	4.00-8	8	BT-RIB, BT-SR	5700
145	4.00-10	6	BT-RIB	
146	4.00-12	6	BT-SL	
147	4.50-10	8	BT-LUG BT- SL	4000
148	4.50-12	8	BT-RIB 2	2400
149	5.00-10	8	BT-RIB BT-SL BT-LUG	
150	5.00-12	8	BT-SL	2400
151	5.20-14	6	BT-SL BT-LUG	
152	5.50-13	6	BT-LUG	2300
153	5.60-13	6	BT-LUG	2300
154	5.65-12	6	BT-RIB	2400
155	5.90-15	6	BT-RIB	
156	155/80 D-12	8	BT-RIB BT-LUG	
157	165/80 D-13	8	BT-LUG	
158	165/80 D-14	8	BT-LUG	

NOTE- ALL SIZES ARE AVAILABLE IN DIFFERENT PLY RATING.

**TWO WHEELER/MOTORCYCLE TYRES**

159	3.50 – 8	4 PR	BT-Wheelbarrow BT-STAR	7450
160	3.00 – 10	4 PR	BT-STAR	5800
161	3.00 – 12	6 PR	BT-GRIP	
162	3.75-12	6 PR	BT-MLZ	
163	3.00-14	6 PR	BT-GRIP	2400
164	3.50 – 10	4 PR	BT-Wheelbarrow	5800
165	2.75 – 17	6 PR	BT-RIB	2400
166	2.75 – 17	6 PR	BT-SPORT BT-STAR	2400
167	2.75 – 18	4 PR	BT-RIB	2400
168	2.75 – 18	4 PR	BT-GRIP BT-SPORT BT-MG	2400
169	3.00 – 17	6 PR	BT-MG	2400

170	3.00 – 18	6 PR	BT-RIB	2400
171	3.00 – 18	6 PR	BT-GRIP BT-SPORT BT-MG	2400
172	3.00 – 19	6 PR	BT-RIB BT-MG	
173	3.50 – 19	6 PR	BT-R-1	
174	3.25 – 16	6 PR	BT-RIB BT-MG	
175	3.25 – 19	6 PR	BT-RIB BT-NZP	
176	2.50 – 18	4 PR	BT-MG	
177	100/90-17	4 PR	BT- ZP BT-R-1	2400
178	90/100 -10	4 PR	BT-NZP	7450
179	90/90 – 12	6 PR	BT-NZP	
180	100/90 – 18	6 PR	BT-ZP	2400
181	120/80 – 17	6 PR	BT-NZP	2400